

## Discussion page for Slackware annoyances

If you have anything that annoys you in Slackware, feel free to add that to this page. I will try to answer, and perhaps provide a fix for obvious bugs. — Eric

Thanks for providing extremely useful pages to all Slackware users!

One minor annoyance:

**Trouble with rc.inet1 <int>\_restart / stop** In a system with 2 network cards (let's say one wired, one wireless) and only one card is plugged/active, when shutting down the system, it tries to deactivate the interface which is already down and doesn't have an IP address. No big deal, but wastes a second, prints an error message, and tries to send for an inactive interface. More importantly - trying to get a new IP address doesn't work - running `rc.inet1 ath0_restart` doesn't properly release the IP address so that it's impossible to get a new address on the interface. Same problem happens with `rc.inet1 ath0_down&&sleep 5&&rc.inet1 ath0_start`

Thanks much! (-Y1)

Hi Yalla! Your problem might be related to tone from Ismael, and fixed with the addition of

```
ifconfig ath0 0.0.0.0
```

I'll see that I update my scripts sometime soon. Sorry that my reply took so long... never suspected anyone would actually **use** these discussion pages!

— Eric

### ----- - Related comment (suggestion):

I've been thinking that maybe Slack's `rc.inet1` should also unset the IP address when it brings it down.

Something like:

```
ifconfig ethN 0.0.0.0
ifconfig ethN down
```

IMHO it should do it in both cases, when there's a DHCP assigned address and when it is statically assigned.

I've seen that my RaLink 2500 wireless card gets confused when it is brought(sp?) down but the IP isn't removed (If I run `ifconfig -a`, then the IP is still being shown!). It gets its IP from DHCP, and the DHCP gets successfully killed, but out of sudden the card comes up again, adding a fix like the one above to `rc.inet1` seems to solve this.

Maybe you could add that to your enhanced `rc.inet1`, Eric. And hopefully it will get into Slack 11 :)

— Ismael C.



(*ifconfig ethN 0.0.0.0*: ) I had already proposed to add this to rc.inet1 but Pat voted it down  
Still, I can just add it back to my own version of the rc.inet1, and maybe Pat will be convinced of it's  
use when more people bring this to his attention <hint>  
— Eric

-----

From:

<https://wiki.alienbase.nl/> - **Alien's Wiki**

Permanent link:

<https://wiki.alienbase.nl/doku.php?id=wiki:talk:slackware:fixes>

Last update: **2012/12/19 12:15**

